

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
16 January 2003 (16.01.2003)

PCT

(10) International Publication Number
WO 03/004031 A1

(51) International Patent Classification⁷: **A61K 31/485,**
9/00, A61P 25/04

(21) International Application Number: PCT/US02/21398

(22) International Filing Date: 3 July 2002 (03.07.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/303,357 6 July 2001 (06.07.2001) US
60/329,432 15 October 2001 (15.10.2001) US
60/329,445 15 October 2001 (15.10.2001) US
60/329,444 15 October 2001 (15.10.2001) US

(71) Applicant: **ENDO PHARMACEUTICALS, INC.**
[US/US]; 100 Painters Drive, Chadds Ford, PA 19317
(US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **KAO, Huai-Hung**

[US/US]; 137 Colony Lane, Syosset, NY 11791 (US).
SMITH-CARLISS, Richard [US/US]; 621 Cricklewood
Road, Wilmington, DE 19807 (US). **MCCALL, Troy**
[US/US]; 8861 Three Chimneys Drive East, Germantown,
TN 38138 (US). **LEE, David** [US]; 3209 Swarthmore
Road, Wilmington, DE 19807 (US).


(74) Agents: **DONATIELLO, Guy, T. et al.**; Schnader Harri-
son Segal & Lewis LLP, 1600 Market Street, Suite 3600,
Philadelphia, PA 19103 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG,
SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,
VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,

[Continued on next page]

(54) Title: PARENTERAL ADMINISTRATION OF 6-HYDROXY-OXYMORPHONE FOR USE AS AN ANALGESIC



(57) Abstract: In a method of treating pain a patient is administered a pharmaceutical composition of 6-hydroxy oxymorphone in an amount sufficient to induce analgesia. In one embodiment, the pharmaceutical composition is administered parenterally, preferably by injection and intravenous drip. To achieve the desired analgesic effect, blood plasma levels of 6-hydroxy oxymorphone are raised to at least approximately 0.05 ng/mL during treatment. Administration of compositions containing 6-hydroxy oxymorphone, and one or more carriers, diluents, and excipients in an amount sufficient to induce analgesia is also contemplated.

WO 03/004031 A1



ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK,
TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).

— *before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments*

Published:

— *with international search report*

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

PARENTERAL ADMINISTRATION OF 6-HYDROXY-OXYMORPHONE
FOR USE AS AN ANALGESIC

5

This application relates to provisional patent application serial nos. 60/329,445 filed October 15, 2001, 60/329,432 filed October 15, 2001, 60/303,357 filed July 6, 2001, and 60/329,444 filed October 15, 2001.

10

Background

Field of Invention

The invention relates to methods for alleviating pain. More particularly, the invention relates to methods for alleviating pain by administering 6-hydroxy oxymorphone. Most particularly, the invention relates to methods of inducing analgesia by increasing blood plasma levels of 6-hydroxy oxymorphone.

Summary of the Invention

The present invention provides methods for treating pain by administration of a pharmaceutical composition comprising 6-hydroxy oxymorphone in an amount sufficient to induce analgesia. In one embodiment, the pharmaceutical composition is administered parenterally, preferably by injection and intravenous drip. To achieve the desired analgesic effect, blood plasma levels of 6-hydroxy oxymorphone are raised to at least approximately 0.05 ng/mL. Methods for administering compositions comprising 6-hydroxy oxymorphone, and one or more carriers, diluents, and excipients in an amount sufficient to induce analgesia are also provided.

Brief Description of the Drawings

Fig. 1 is a pharmacokinetic profile for 6-hydroxy oxymorphone with PID scores.

Fig. 2 is a pharmacokinetic profile for oxymorphone with PID scores.

Fig. 3 is a pharmacokinetic profile for 6-hydroxy oxymorphone with categorical pain scores.

Fig. 4 is a pharmacokinetic profile for oxymorphone with categorical pain scores.

Detailed Description

The methods described herein provide for the direct administration of a pharmaceutical composition containing 6-hydroxy oxymorphone as an active ingredient.

5 In a preferred embodiment the composition comprising 6-hydroxy oxymorphone alone (excepting, of course, carriers, diluents, and other excipients). In other embodiments, 6-hydroxy oxymorphone may be combined with other opioids or other pharmaceutical agents. For example compositions comprising both 6-hydroxy oxymorphone and its parent, oxymorphone.

10 In separate studies, blood plasma levels and indications of pain relief were recorded over a 12 hour period. Figs. 1-4 show graphical representation of the data combining the two studies such that the effect of blood plasma levels on pain can be evaluated.

The administration of oxymorphone yields blood plasma levels of oxymorphone
15 and one of its metabolites, 6-hydroxy oxymorphone. Oxymorphone levels peak within 2 hours, fall slightly, and plateau. Interestingly, the level spikes again at 4-6 hours from administration. After this time, oxymorphone levels again drop and eventually fall to levels near the earlier plateau.

Like oxymorphone, 6-hydroxy oxymorphone blood plasma levels peak within 2
20 hours after administration. After the initial peak, however, a more or less steady decline in the 6-hydroxy oxymorphone's plasma levels is observed.

Comparing these levels to the pain profiles, a correlation between the 6-hydroxy oxymorphone blood plasma levels and pain relief can be seen. The pain levels nearly mirror the 6-hydroxy oxymorphone levels, with substantial rises in relief near the spikes
25 associated with oxymorphone blood levels. Thus, pain relief can be achieved through administration of 6-hydroxy oxymorphone alone.

In addition to the pharmacokinetic studies, binding studies have been conducted to compare the binding affinity of 6-hydroxy oxymorphone to that of oxymorphone. The results are reported in TABLE 1. These results clearly indicate that 6-hydroxy
30 oxymorphone has great binding affinity for the δ , κ and μ , receptor sites, comparable to the binding affinity of its parent. The inventors believe that by virtue of this binding

affinity, 6-hydroxy oxymorphone has similar analgesic effects to its parent, oxymorphone.

TABLE 1: ASSAY REPORT

	6-HYDROXY OXYMORPHONE		OXYMORPHONE	
	10nm 1.0 E-8	10µm 1.0 E-5	10nm 1.0 E-8	10µm 1.0 E-5
Opiate, Delta 1	-4.12%	90.48%	-18.26%	89.03%
Opiate, Delta 2 (Human Recombinant)	7.19%	55.45%	7.76%	72.74%
Opiate, Kappa (Human Recombinant)	2.45%	62.47%	10.35%	89.41%
Opiate, Mu (Human Recombinant)	63.16%	99.91%	85.42%	100.39%

Accordingly, methods of administering the metabolite, 6-hydroxy oxymorphone, directly have been developed. It is believed that the β isomer has greater efficacy in the treatment of pain, but this disclosure is not limited to use of that isomer alone.

10 Pharmaceutical compositions containing either 6- α -hydroxy oxymorphone, 6- β -hydroxy oxymorphone, or mixtures thereof can be used in the invention.

Parenteral administration of 6-hydroxy oxymorphone ensures immediate release into the blood stream and the quickest route to pain relief. Administration of a composition containing 6-hydroxy oxymorphone by injection, IV drip, or other means is
15 most effective. Regardless of the actual route of administration, an amount of 6-hydroxy oxymorphone sufficient to induce analgesia will be supplied. Blood plasma levels of 6-

hydroxy oxymorphone must be raised to levels sufficient to induce the desired level of analgesia.

The amount administered will be dependent upon normal criteria such as patient weight, intensity of pain, and other factors. Based on the pharmacokinetic studies blood plasma levels around at least 0.05 ng/mL will provide some analgesia. The upper plasma level limit will be ultimately established by safety concerns. Over-dosing of any opioid, including 6-hydroxy oxymorphone, can lead to respiratory failure and other undesirable side effects, and can even result in death. Preferably, the blood plasma level of 6-hydroxy oxymorphone will be raised to at least 0.075 ng/mL. Subsequent doses may be required to maintain these blood levels.

The preferred administration is of 6-hydroxy oxymorphone with appropriate carriers and excipients as will be readily apparent to those skilled in the art. The resulting blood plasma in these preferred administrations will therefore be substantially free of oxymorphone.

The above description encompasses some preferred embodiments of the invention. This disclosure is merely illustrative in nature and is not intended to limit the following claims.

CLAIMS

What is claimed is:

1. A method of treating pain comprising:
administering parenterally to a patient a pharmaceutical composition
5 comprising 6-hydroxy oxymorphone in an amount sufficient to induce analgesia.
2. The method of claim 1 wherein said pharmaceutical composition is administered by injection or IV drip.
- 10 3. The method of claim 1 wherein said administration is sufficient to raise blood plasma levels of 6-hydroxy oxymorphone to at least about 0.05 ng/mL.
4. The method of claim 1 wherein said administration is sufficient to raise blood plasma levels of 6-hydroxy oxymorphone to at least about 0.075 ng/mL.
- 15 5. A method of treating pain comprising about parenterally administering to a patient a pharmaceutical composition comprising 6-hydroxy oxymorphone, and one or more carriers, diluents, and excipients in an amount sufficient to induce analgesia.
- 20 6. A pharmaceutical comprising 6-hydroxy oxymorphone in a solution for parenteral delivery to animals, including humans.
7. A method of treating pain comprising:
parenterally administering to a patient a pharmaceutical composition comprising
25 6-hydroxy oxymorphone and oxymorphone in an amount sufficient to induce analgesia.

FIG. 1




FIG. 2




FIG. 3





FIG. 4



INTERNATIONAL SEARCH REPORT

In International Application No

PCT/US 02/21398

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61K31/485 A61K9/00 A61P25/04

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K A61P

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, CHEM ABS Data, EMBASE, SCISEARCH, MEDLINE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	<p>CONE, EDWARD J.: "General procedure for the isolation and identification of 6-.alpha.- and 6-.beta.-hydroxy metabolites of narcotic agonists and antagonists with a hydromorphone structure"</p> <p>J. CHROMATOGR. (1976), 129, 355-61, XP001106444</p> <p>page 356; table 1</p> <p>page 357, paragraph SECOND</p> <p>page 361</p> <p>---</p>	1-7
Y	<p>US 6 166 211 A (DRUMMOND JR SPENCER ET AL) 26 December 2000 (2000-12-26) column 2</p> <p>---</p> <p>--- -/--</p>	1-7

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

23 October 2002

Date of mailing of the international search report

06/11/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Brunnauer, H

INTERNATIONAL SEARCH REPORT

Int. l. Application No

PCT/US 02/21398

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	CONE E J ET AL: "Oxymorphone metabolism and urinary excretion in human, rat, guinea pig, rabbit, and dog." DRUG METABOLISM AND DISPOSITION, (1983 SEP-OCT) 11 (5) 446-50., XP001106446 abstract page 446, right-hand column	1-7
Y	US 4 844 907 A (ELGER GORDON A ET AL) 4 July 1989 (1989-07-04) claims 1,2	1-7
Y	US 5 629 011 A (ILLUM LISBETH) 13 May 1997 (1997-05-13) claims 1,9	1-7
Y	US 4 366 159 A (MAGRUDER MICHAEL R) 28 December 1982 (1982-12-28) column 3, line 35-37 - line 55-59	1-7

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US 02/21398

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
Although claims 1-5 and 7 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

Information on patent family members

In International Application No

PCT/US 02/21398

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 6166211	A	26-12-2000	AU 3736500 A WO 0056735 A1	09-10-2000 28-09-2000
US 4844907	A	04-07-1989	AT 46437 T AU 584234 B2 AU 6183086 A CA 1272955 A1 DE 3665669 D1 DK 407286 A EP 0220805 A2 IE 59515 B JP 1948471 C JP 6081733 B JP 62051625 A NZ 217341 A SG 94892 G ZA 8606207 A	15-10-1989 18-05-1989 05-03-1987 21-08-1990 26-10-1989 01-03-1987 06-05-1987 09-03-1994 10-07-1995 19-10-1994 06-03-1987 28-10-1988 04-12-1992 29-04-1987
US 5629011	A	13-05-1997	AT 171872 T AU 3458093 A CA 2127805 A1 DE 69321458 D1 DE 69321458 T2 DK 625044 T3 EP 0625044 A1 ES 2123660 T3 WO 9315737 A1 GB 2277682 A ,B JP 7503481 T NO 942787 A	15-10-1998 03-09-1993 19-08-1993 12-11-1998 18-03-1999 21-06-1999 23-11-1994 16-01-1999 19-08-1993 09-11-1994 13-04-1995 27-07-1994
US 4366159	A	28-12-1982	AR 228984 A1 AU 549070 B2 AU 8804282 A CA 1200501 A1 EP 0074105 A1 FI 823112 A GR 76702 A1 HU 190699 B IL 66743 A JP 58055422 A NZ 201841 A PH 18772 A PT 75521 A ZA 8206500 A	13-05-1983 09-01-1986 17-03-1983 11-02-1986 16-03-1983 09-03-1983 29-08-1984 28-10-1986 31-07-1986 01-04-1983 14-12-1984 25-09-1985 01-10-1982 25-04-1984